




GATEWAY ARCH



DISTANCE:	42 FEET	VOLUME:	25.985 mL
RATIO:	6.58:1	FORWARD:	14.585 mL
DROP BRUSH:	38 FEET	REVERSE:	11.4 mL
TANKS:	ICE	PUMP:	MULTI



FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	E.T.OIL
1	2L	2R	4	45	18	4	B - ICE	0 → 8	6,660
2	10L	10R	5	45	18	3	B - ICE	8 → 20	4,725
3	11L	11R	1	50	18	3	B - ICE	20 → 23	950
4	12L	12R	1	50	18	3	B - ICE	23 → 25	850
5	13L	13R	1	50	18	3	B - ICE	25 → 28	750
6	14L	14R	1	50	18	3	B - ICE	28 → 30	650
7	2L	2R	0	50	22	3	B - ICE	30 → 37	0
8	2L	2R	0	50	26	2	B - ICE	37 → 42	0

REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	E.T.OIL
1	13L	13R	2	50	18	3	B - ICE	38 → 33	1,500
2	12L	12R	2	50	18	3	B - ICE	33 → 28	1,700
3	11L	11R	2	45	18	3	B - ICE	28 → 23	1,710
4	10L	10R	2	45	18	3	B - ICE	23 → 18	1,890
5	9L	9R	5	40	14	3	B - ICE	18 → 8	4,600
6	2L	2R	0	40	14	3	B - ICE	8 → 0	0

THIS PATTERN IS DESIGNED FOR:
VARIABLE BUFFER SPEEDS | VARIABLE MICROLITER STREAMS | REVERSE DROP BRUSH
This pattern may require adjustments if using a lane machine that does not have these features



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET



SCAN QR CODE TO
SHARE AND
DOWNLOAD
THIS PATTERN



SOLØR BK





Haha



TITANIUM



DISTANCE:44 FEET	RATIO:	VOLUME:	25.295 mL
4.21:1 DROP	BRUSH:40 FEET	FORWARD:	11.545 mL
TANKS:TERRAIN & ICE		REVERSE:	13.75 mL
		PUMP:	MULTI



FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	3	40	18	4	A - Terrain	0 → 5	4,440
2	8L	8R	2	40	18	3	A - Terrain	5 → 10	2,000
3	9L	9R	1	40	18	3	A - Terrain	10 → 13	920
4	10L	10R	1	45	18	3	A - Terrain	13 → 15	945
5	11L	11R	2	45	18	3	A - Terrain	15 → 20	1,710
6	12L	12R	2	45	18	3	A - Terrain	20 → 25	1,530
7	2L	2R	0	45	18	3	A - Terrain	25 → 38	0
8	2L	2R	0	45	22	2	A - Terrain	38 → 44	0

REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	45	26	3	B - Ice	40 → 39	0
2	14L	14R	2	45	22	3	B - Ice	39 → 33	1,170
3	13L	13R	2	45	18	3	B - Ice	33 → 28	1,350
4	12L	12R	2	45	18	3	B - Ice	28 → 23	1,530
5	11L	11R	2	45	14	3	B - Ice	23 → 19	1,710
6	10L	10R	2	45	14	3	B - Ice	19 → 15	1,890
7	9L	9R	1	40	14	4	B - Ice	15 → 13	920
8	2L	2R	4	35	14	4	A - Terrain	13 → 5	5,180
9	2L	2R	0	35	14	4	A - Terrain	5 → 0	0

THIS PATTERN IS DESIGNED FOR:

VARIABLE BUFFER SPEEDS | VARIABLE MICROLITER STREAMS | DUAL CONDITIONING TANKS | REVERSE DROP BRUSH
This pattern may require adjustments if using a lane machine that does not have these features



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET



SCAN QR CODE TO
SHARE AND
DOWNLOAD
THIS PATTERN



SOLØR BK






Wow



2023 USBC JR. GOLD - YOUTH OPEN



DISTANCE:	38 FEET	VOLUME:	28.35 mL
RATIO:	6.76:1	FORWARD:	17.35 mL
DROP BRUSH:	38 FEET	REVERSE:	11 mL
TANKS:	KEGEL	PUMP:	50µL



FORWARD LOADS DATA

#	S T A R T	S T O P	L O A D S	M I C S	S P E E D	B U F F	T A N K	D I S T A N C E	T. O I L
1	2L	2R	2	50	14	3	A - KEGEL	0 → 2	3,700
2	2L	4R	1	50	14	3	A - KEGEL	2 → 4	1,750
3	6L	6R	1	50	18	3	A - KEGEL	4 → 6	1,450
4	7L	7R	1	50	18	3	A - KEGEL	6 → 9	1,350
5	8L	8R	3	50	18	3	A - KEGEL	9 → 17	3,750
6	9L	9R	3	50	18	3	A - KEGEL	17 → 24	3,450
7	11L	11R	2	50	18	3	A - KEGEL	24 → 29	1,900
8	2L	2R	0	50	22	3	A - KEGEL	29 → 38	0

REVERSE LOADS DATA

#	S T A R T	S T O P	L O A D S	M I C S	S P E E D	B U F F	T A N K	D I S T A N C E	T. O I L
1	2L	2R	0	50	30	3	A - KEGEL	38 → 34	0
2	11L	11R	2	50	18	3	A - KEGEL	34 → 29	1,900
3	10L	10R	3	50	18	3	A - KEGEL	29 → 21	3,150
4	9L	9R	3	50	18	3	A - KEGEL	21 → 14	3,450
5	8L	8R	2	50	18	3	A - KEGEL	14 → 9	2,500
6	2L	2R	0	50	14	3	A - KEGEL	9 → 0	0

Created Jan 17, 2024



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET




SCAN QR CODE TO
SHARE AND
DOWNLOAD
THIS PATTERN



SOLØR BK






2024 PBA MONACELLI



DISTANCE:	40 FEET	VOLUME:	28.55 mL
RATIO:	5.22:1	FORWARD:	15.35 mL
DROP BRUSH:	40 FEET	REVERSE:	13.2 mL
TANKS:		PUMP:	50µL



FORWARD LOADS DATA

#	S T A R T	S T O P	L O A D S	M I C S	S P E E D	B U F F	T A N K	D I S T A N C E	T . O I L
1	2L	2R	2	50	14	3	A -	0 → 2	3,700
2	5L	5R	1	50	18	3	A -	2 → 4	1,550
3	8L	8R	4	50	18	3	A -	4 → 15	5,000
4	11L	11R	4	50	18	3	A -	15 → 25	3,800
5	14L	14R	2	50	22	3	A -	25 → 31	1,300
6	2L	2R	0	50	22	3	A -	31 → 40	0

REVERSE LOADS DATA

#	S T A R T	S T O P	L O A D S	M I C S	S P E E D	B U F F	T A N K	D I S T A N C E	T . O I L
1	2L	2R	0	50	30	3	A -	40 → 34	0
2	13L	13R	2	50	18	3	A -	34 → 29	1,500
3	10L	10R	3	50	18	3	A -	29 → 21	3,150
4	9L	8R	2	50	18	3	A -	21 → 16	2,400
5	7L	7R	2	50	18	3	A -	16 → 11	2,700
6	4L	5R	1	50	14	3	A -	11 → 9	1,600
7	2L	2R	1	50	14	3	A -	9 → 7	1,850
8	2L	2R	0	50	14	3	A -	7 → 0	0

Created Jan 01, 2024



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET



SCAN QR CODE TO
SHARE AND
DOWNLOAD
THIS PATTERN



SOLØR BK

